



HIGH GLOSS


600 X 1200 MM

BONZA 



600X1200MM

Big Tiles is a name to reckon with pride in the real estate development in Gujarat. We do not design merely a tiles. We design every square inch with impeccable quality. Every inch of it speaks aloud of our quality, success and commitment. Since 2008, we have developed more than 150, 00,000 square meters of tiles. This in itself is enough to prove our expertise. At BONZA, we believe that real success is not in earning money but in earning trust. And we are in proud possession of this treasure called trust of our valued customers. We understand that time is an essence. And that's why we tolerate no delays and have a record of timely delivery of all materials. With this, we have never compromised a bit in providing the finest quality with magnificent designs. Customer satisfaction is at the core of whatever we do.



Inspiration for Culture


*INNOVATIVE
CREATION
REJUVENATE*

A vertical rectangular image on the left side of the page showing a marbled paper texture with swirling patterns of brown, tan, and dark blue/black. A diagonal white line runs across the top left corner of this image.

HIGH
GLOSS



BONZA





ATRIUM BLUE

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength




Thermal shock
resistant




Frost
resistant



Resistant to
staining



BONZA




AQUA BLUE

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant




Resistant to
staining





BONZA



BAR BLACK

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM

Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant




Resistant to
staining





BONZA




BARCELONA GREY

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to abrasion



Anti-slip



Breaking Strength



Thermal shock resistant




Frost resistant



Resistant to staining



BONZA






BARCELONA BROWN

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining



BONZA

Applicable:



Resistant to abrasion



Anti-slip



Breaking Strength



Thermal shock resistant



Frost resistant



Resistant to staining







BARCELONA NERO

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM







BONZA

BLACK PANDA

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining



BONZA



BLACK PROTHRO

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM

Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength






Thermal shock
resistant



Frost
resistant



Resistant to
staining





BONZA

BONZA




BLACK ROSE

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant




Frost
resistant



Resistant to
staining



BONZA




BROWN ILLIUSON

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining



BONZA



Applicable:



Resistant to abrasion



Anti-slip



Breaking Strength




Thermal shock resistant



Frost resistant



Resistant to staining




CRACKLE AZUL

Finish:
High Gloss


Thickness:
9MM

Size:
600X1200MM





BONZA



CRACKLE BLACK

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM

Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength






Thermal shock
resistant



Frost
resistant



Resistant to
staining





BONZA



CRISTINA BLUE

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM

Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining





BONZA



CRISTINA BROWN

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM

Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining





BONZA





ELEGANT SKY

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant




Frost
resistant



Resistant to
staining



BONZA






ESTRADA BLACK

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining





BONZA

Applicable:



Resistant to abrasion



Anti-slip



Breaking Strength



Thermal shock resistant



Frost resistant



Resistant to staining






FOREVER AZUL

Finish:
High Gloss


Thickness:
9MM

Size:
600X1200MM





BONZA






FOREVER BLACK

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining



BONZA






FOREVER COFFEE

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining



BONZA

FOREVER JAISAL

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM

Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength






Thermal shock
resistant



Frost
resistant



Resistant to
staining





BONZA

GOLDEN BLUE

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM

Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength







Thermal shock
resistant



Frost
resistant




Resistant to
staining





BONZA






HAWAI BLACK

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining



BONZA



INDIAN STONE

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining





BONZA



INDIAN STONE IRVIN

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant




Frost
resistant



Resistant to
staining



BONZA






ITALINO BLACK

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength




Thermal shock
resistant



Frost
resistant



Resistant to
staining



BONZA





LUXURY AZUL

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant




Frost
resistant



Resistant to
staining



BONZA






LUXURY BLACK

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant




Frost
resistant



Resistant to
staining



BONZA






NEXUS SKY

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining





BONZA

Applicable:



Resistant to abrasion



Anti-slip



Breaking Strength




Thermal shock resistant



Frost resistant



Resistant to staining






NEXUS BLACK

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM





BONZA



Applicable:



Resistant to abrasion



Anti-slip



Breaking Strength




Thermal shock resistant



Frost resistant



Resistant to staining




NEXUS OCRA

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM





BONZA



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining






ONYX NATURAL

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM





BONZA



OPERA AZUL

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining



BONZA



PORT LAUREN

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM

Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength





Thermal shock
resistant





Frost
resistant




Resistant to
staining





BONZA





ROSSO BLACK

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining



BONZA



SOLACE BLACK

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM

Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength




Thermal shock
resistant



Frost
resistant



Resistant to
staining





BONZA



SOLACE SKY

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining



BONZA





TRAVO BLACK

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant




Frost
resistant



Resistant to
staining



BONZA



WEBINK

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM

Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength




Thermal shock
resistant



Frost
resistant




Resistant to
staining





BONZA




WILD WAVE SKY

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant




Resistant to
staining





BONZA




WILD WAVE

Finish:
High Gloss

Thickness:
9MM

Size:
600X1200MM



Applicable:



Resistant to
abrasion



Anti-slip



Breaking
Strength



Thermal shock
resistant



Frost
resistant



Resistant to
staining

BONZA TECHNICAL SPECIFICATION

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13026/EN 174 GROUP B1c	BONZA VALUE
DIMENSION & SURFACE QUALITY			
Deviation in length	ISO-10545-2	± 0.6%	± 0.2%
Deviation in Thickness	ISO-10545-2	± 5%	± 3%
Straight of Sides	ISO-10545-2	± 0.5%	± 0.2%
Rectangularity	ISO-10545-2	± 0.5%	± 0.2%
Surface Flatness	ISO-10545-2	± 0.5%	± 0.2%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	ISO-10545-3	< 0.50%	< 0.04%
Mohs Hardness	EN-101	Min.5	Min.5
Flexural Strength	ISO-10545-4	> 35N/mm ²	> 40N/mm ²
Skid Resistance (Friction Coefficient)	ISO-10545-17	> 0.4	> 0.4
Breaking Strength	ISO-10545-11	> 1113N	> 1800N
Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage
Noisture Expansion	ISO-10545-10	NIL	NIL
Resistance to Surface Abrasion	ISO-10545-7	Abrasion class shall be specified by the manufacturer	PIE IV
CHEMICAL PROPERTIES			
Chemical Resistance	ISO-10545-13	No Damage	No Damage
Color Resistance	ISO-10545-16	No Damage	No Damage
Stain Resistance	ISO-10545-14	Resistant	Resistant

PACKING DETAILS

Dimension (MM)	BOX			
	PIECES	Sq. Mtr.	Sq. Feet	Weight (Apx.)
600X1200MM	2	1.44	15.50	30Kgs.



BONZA

Bonza Vitrified Pvt. Ltd.
Nr. Racy Sanitary Ware,
Survey 192 P1 & P2,
Dhuva - Matel Road,
Dist: Morbi - 363621,
Gujarat - India.

kamlesh@bonzavitrified.com
export@bonzavitrified.com

ROEX: +91 99988 02828